Standard FutureCom[™] LANscape[®] Patch Panels 19"

high-grade steel

CORNING

The FutureCom[™] patch panel is universally applicable for all 19-in racks and LAN-cabinets. This allows the free user-specific configuration of building and floor distributors.

The front panel is electrically leading. Integrated grounding points are available at the back. Likewise for grounding 2 latches are available for flat connectors. Particularly to emphasize is the simple and fast installation and clicking of the modules into the patch panel.

Features

- Suitable for all LANscape modules (FO and Copper)
- Robust metal construction, high-grade steel







Standard FutureCom[™] LANscape[®] Patch Panels 19"

high-grade steel

CORNING

Specifications

General Specifications	
Environment	Indoor
Design - Hardware	

Number of Ports	24
Colour	high-grade steel
Height Unit	1U
Housing Material	High-grade steel

Mechanical Characteristics	
Cut Out	LANscape
Dimensions (L x W x H)	483 mm x 44 mm x 152 mm

Chemical characteristics	
RoHS	Free of hazardous substances according to RoHS 2002/95/ EG
Environmental Compatibility	Recyclable

Ordering Information

Part Number	WAXWSV-02400-C001
Product Description	FutureCom [™] 19-in Patch Panel, for up to 24 LANscape [®] fibre optic or FutureCom [™] copper modules, with integrated cable strain relief, 1U, high-grade steel
EAN Code	4042673038535
Colour	high-grade steel
Height Unit	1U
Weight	0.725 kg

Shipping Information

Units per Delivery	
--------------------	--



Standard FutureCom[™] LANscape[®] Patch Panels 19"

high-grade steel

CORNING

Notes



Corning Optical Communications GmbH & Co. KG · Leipziger Strasse 121 · 10117 Berlin, GERMANY 00 800 2676 4641 · FAX: +49 30 5303 2335 · www.corning.com/opcomm/emea A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trade-

marks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2014 Corning Optical Communications. All rights reserved.

